



10/018,056.

CoFC

<b>REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.20(a)</b>	Patent #	7,028,981 B2
	Issue Date	April 18, 2006
	First Inventor	HORTON
	Docket #	P07423US00/RFH

**ATTN: Certificate of Correction Branch**  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450


**Certificate  
MAY 12 2006  
of Correction**

S I R:

An error in the PCT Application filing date has been corrected. Since the error is the fault of the Office and is obvious from the record, no fee is enclosed.

It will be noted that the corrected date, June 14, 2000, which is the filing date of the International Application, affects the expiration date of the above-identified patent, and, accordingly, it is respectfully requested that the PTO records be changed to also reflect the correct expiration date of June 14, 2020. The expiration date is twenty (20) years from the filing date (June 14, 2000) of the International Application.

Date: May 10, 2006

Respectfully submitted,  
  
By: Ross F. Hunt, Jr.  
Registration No.: 24,082

**STITES & HARBISON PLC** ♦ 1199 North Fairfax St. ♦ Suite 900 ♦ Alexandria, VA 22314  
TEL: 703-739-4900 ♦ FAX: 703-739-9577 ♦ EMAIL: [iplaw@larsontaylor.com](mailto:iplaw@larsontaylor.com) ♦ CUSTOMER NO. 000881

**MAY 12 2006**

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,028,981 B2  
DATED : April 18, 2006  
INVENTOR(S) : HORTON

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page (22) the PCT Filed date "Dec. 14, 2001" should read -- June 14, 2000 --.

MAILING ADDRESS OF SENDER: **STITES & HARBISON PLLC**  
**Transpotomac Plaza**  
**1199 North Fairfax Street**  
**Suite 900**  
**Alexandria, VA 22314**

PATENT NO.

No. of additional copies



**MAY 19 2006**

**MAY 19 2006**